


Double Column Post Base Figs. AS 3029, AS 3040, AS 3064, AS 3064SQ



Description

Anvil–Strut Post Bases are designed to fit Anvil–Strut 15/8" wide channels. Anvil–Strut Post Bases are used to securely fasten channels to a surface.

Post Base


Double Post Base


Use with all 3¼" Channels

Std Pkg 5 - Wt/100 pcs: 325 Lbs.

EG,

AS 3029





GR

Use with AS 200 & AS 210 Std Pkg 10 - Wt/100 pcs: 297 Lbs.

LEGEND:

GR: Powder Coated Supr-Green EG: Electro-Galvanized PG: Pre-Galvanized AL: Aluminum
HG: Hot Dipped Galvanized PL: Plain SS: Stainless Steel ZTC: Zinc Trivalent Chromium
Stainless Steel (SS), Zinc Trivalent Chromium (ZTC) and Hot Dipped Galvanized (HG) are specialty finishes.
Pricing is located in the Specialty Strut Section of the Anvil-Strut price book.




PROJECT INFORMATION	APPROVAL STAMP
Project:	Approved
Address:	Approved as noted
Contractor:	Not approved
Engineer:	Remarks:
Submittal Date:	
Notes 1:	
Notes 2:	




Double Column Post Base Figs. AS 3029, AS 3040, AS 3064, AS 3064SQ

Double Post Base

Double Post Base



Use with all 3¼" Channels Std Pkg 10 – Wt/100 pcs: 408 Lbs.



Use with all 3¼" Channels Std Pkg 10 – Wt/100 pcs: 408 Lbs.

LEGEND: GR: Powder Coated Supr-Green EG: Electro-Galvanized PG: Pre-Galvanized AL: Aluminum HG: Hot Dipped Galvanized PL: Plain SS: Stainless Steel ZTC: Zinc Trivalent Chromium Stainless Steel (SS), Zinc Trivalent Chromium (ZTC) and Hot Dipped Galvanized (HG) are specialty finishes. Pricing is located in the Specialty Strut Section of the Anvil-Strut price book.

